

Amateur Radio Emergency Service – Emergency Communications Plan  
Amateur Radio Relay League - Louisiana Section

NET	NOTES	FREQ	MODE
VHF BAND	LIVINGSTON	147.255 + MHz	PL 136.5
	ST JAMES	146.985 - MHz	PL 107.2
UHF BAND	BATON RGE	444.625 + MHz	PL 156.7
	LIVINGSTON	444.350 + MHz	PL 136.5
DELTA DIVISION ARES EMERGENCY	DAY	7.246 or 7.280 MHz	LSB VOICE
	NIGHT	3.890 or 3.923.5 MHz	LSB VOICE
LOUISIANA ARES EMERGENCY	DAY	7.255 MHz	LSB VOICE
	NIGHT	3.878 MHz	LSB VOICE
DIGITAL (PACTOR)	DAY	7.079.9 MHz USB Center	Pactor 1, 2, or 3, P2P ON REQUEST USE RMS OTHERWISE, WB5LHS@WINLINK.ORG
	NIGHT	3.595.9 MHz USB Center	Pactor 1, 2, or 3, P2P ON REQUEST USE RMS OTHERWISE, WB5LHS@WINLINK.ORG
DIGITAL (PACKET)	REGION 1	145.010 MHz	W5MCC-10 (MCCRMS) RMS GATEWAY
DIGITAL (PACKET)	REGION 2	145.010 MHz	KD5CQB – 7 (BTRZ) NODE WB5BTR – 4 (LIV1) K NODE
DIGITAL (PACKET)	REGION 5	145.010 MHz	KI5EE – 10 (LCH) NODE W5ELM – 10 OBERLIN GATEWAY
DIGITAL (PACKET)	REGION 9	145.010 MHz	WB5NET -1 (HMU) DIGI, W5SLA (SIL) NODE WB5LHS (HMU1) KNODE, WB5LHS-1(WASH1)
DIGITAL (PACKET)	UHF	446.100 MHz	BACKBONE BETWEEN NODES

GOHSEP does not handle Health and Welfare traffic. Other agencies such as Red Cross routinely handle such messages and inquires. Thus, the following frequencies are not routinely monitored by GOHSEP:

HEALTH AND WELFARE	DAY	7.290 MHz	LSB VOICE
	NIGHT	3.935 MHz	LSB VOICE

COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET ICS 217-A							Frequency Band HF			Description STATEWIDE HF	
Page 1 of 1											
Channel Config	Channel Name	Eligible Users	Rx Frequency	Wide/Narrow	RX Tone / NAC	Tx Frequency	Wide/Narrow	Tx Tone/Nac	Mode (A/D)	Remarks	
1	Command	LA ARES	ALL	3.878	HF (LSB)	n/a	3.878	HF (LSB)	n/a	A	+/- 3 KHz EMER Net (Day)
2	Command	LA ARES Winlink	ALL	3.596	HF (LSB)	n/a	3.890	HF (LSB)	n/a	D	PACTOR 3.595.9 Dial USB
3	Command	Gulf Coast	ALL	3.925	HF (LSB)	n/a	3.925	HF (LSB)	n/a	A	Gulf Coast Hurricane Net
4	Tactical	LA ARES Digital	ALL	3.5960	HF (USB)	n/a	3596	HF (USB)	n/a	A	MT63-1KL +1500
5	Tactical	ARRL Delta Div	ALL	3.9235	HF (LSB)	n/a	3.9235	HF (LSB)	n/a	A	AR, LA, MS, TN (Night)
6	Tactical	ARRL Delta Div	ALL	3.890	HF (LSB)	n/a	3.890	HF (LSB)	n/a	A	AR, LA, MS, TN (Night)
7	Command	LA ARES Winlink	ALL	7.080	HF (USB)	n/a	7.080	HF (USB)	n/a	D	PACTOR 7.079.9 Dial USB
8	Tactical	LA ARES	ALL	7.255	HF (LSB)	n/a	7.255	HF (LSB)	n/a	A	Daytime HF Net (+/- 10 KHz)
9	Tactical	Hurricane Center	ALL	7.268	HF (LSB)	n/a	7.268	HF (LSB)	n/a	A	Nat'l Hurricane Center (USB)
10	Tactical	ARRL Delta Div	ALL	7.246	HF (LSB)	n/a	7.246	HF (LSB)	n/a	A	AR, LA, MS, TN (Night)
11	Tactical	ARRL Delta Div	ALL	7.280	HF (LSB)	n/a	7.280	HF (LSB)	n/a	A	AR, LA, MS, TN (Day)
12	Tactical	LA ARES	ALL	7.255	HF (LSB)	n/a	7.255	HF (LSB)	n/a	A	+/- 3 KHz EMER Net (Day)
13	Command	Maritime Mobile	ALL	14.300	HF (USB)	n/a	14.300	HF (USB)	n/a	A	Maritime Mobile (USB)
14	Tactical	Salvation Army	ALL	14.265	HF (USB)	n/a	14.265	HF (USB)	n/a	A	Salvation Army (USB)
15	Tactical	Hurricane Center	ALL	14.325	HF (USB)	n/a	14.325	HF (USB)	n/a	A	Nat'l Hurricane Center (USB)
Prepared By (Communications Unit)					Signature						

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET ICS 217-A Page 1 of 1							Frequency Band VHF/UHF			Description REGION 1	
Channel Config	Channel Name	Eligible Users	Rx Frequency	Wide/Narrow	RX Tone / NAC	Tx Frequency	Wide/Narrow	Tx Tone/Nac	Mode (A/D)	Remarks	
1	Command	W5MCC	Jefferson	147.030	W	114.8	147.630	W	114.8	A	JP EOC ( C4FM)
2	Tactical	WARC	Jefferson	146.940	W	114.8	147.540	W	114.8	A	WestJefferson Medical Center
3	Tactical	W5MCC	Jefferson	147.150	W	114.8	147.750	W	114.8	A	WJMC ALT
4	Command	W5MCC	Orleans	146.775	W	114.8	147.375	W	114.8	A	Orleans OEP
5	Tactical	W5MCC	Orleans	444.825	W	114.8	449.825	W	114.8	A	Orleans ATL
6	Command	KA5EZQ	Plaquemines	146.895	W	114.8	146.295	W	114.8	A	Plaquemine OEP
7	Tactical	KA5EZQ	Plaquemines	146.655	W	114.8	146.055	W	114.8	A	Plaquemine Local
8	Command	W5MCC	Saint Bernard	146.860	W	114.8	147.460	W	114.8	A	( IRLP and Echolink )
9	Tactical	KA5EZQ	Saint Bernard	146.655	W	114.8	146.055	W	114.8	A	Plaquemine Local
10	Command	-----	Region 1	-----	W	-----	-----	W	-----	-----	REGION 1 COORD
11	Command	N5UXT	Region 1	444.950	W	114.8	449.950	W	n/a	A	LA Link System ( Allstar,IRLP,
12	Tactical	W5GAD	Region 1	146.925	W	n/a	146.325	W	n/a	D	D STAR -Ochsner Med Ctr
13	Tactical	W5MCC	Region 1	444.825	W	114.8	449.825	W	114.8	A	Hospital
14	Tactical	W5GAD	Region 1	444.925	W	n/a	449.925	W	n/a	D	D STAR -Ochsner Med Ctr Echolink and Dstar XREF Bridge)
15	Tactical	W5GAD	Region 1	1251.000	W	n/a	1251.000	W	n/a	D	D-STAR Data
16	Tactical	W5GAD	Region 1	1285.000	W	n/a	1273.000	W	n/a	D	D-STAR Voice
Prepared By (Communications Unit)					Signature						

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET ICS 217-A							Frequency Band VHF/UHF			Description REGION 2	
Page 1 of 1											
Channel Config	Channel Name	Eligible Users	Rx Frequency	Wide/Narrow	RX Tone / NAC	Tx Frequency	Wide/Narrow	Tx Tone/Nac	Mode (A/D)	Remarks	
1	Command	K5ARC	Ascension	147.225	W	107.2	147.825	W	107.2	A	Ascension EOC
2	Tactical	K5ARC	Ascension	146.985	W	107.2	146.385	W	107.2	A	
3	Tactical	K5ARC	Ascension	145.310	W	107.2	144.710	W	107.2	A	
4	Tactical	K5ARC	Ascension	444.725	W	107.2	449.725	W	107.2	A	
5	Command	W5GIX	East Baton Rouge	146.940	W	107.2	151.940	W	107.2	A	EBR RACES
6	Tactical	W5GIX	East Baton Rouge	146.790	W	107.2	146.190	W	107.2	A	
7	Command	----	East Feliciana	----	W	----	----	W	----	----	No Assignment
8	Tactical	----	East Feliciana	----	W	----	----	W	----	----	No Assignment
9	Command	----	Iberville	----	W	----	----	W	----	----	No Assignment
10	Tactical	----	Iberville	----	W	----	----	W	----	----	No Assignment
11	Command	WB5LIV	Livingston	147.165	W	107.2	147.765	W	107.2	A	
12	Tactical	----	Livingston	----	W	----	----	W	----	----	No Assignment
13	Command	----	Pointe Coupee	----	W	----	----	W	----	----	No Assignment
14	Tactical	----	Pointe Coupee	----	W	----	----	W	----	----	No Assignment
15	Command	----	Saint Charles	----	W	----	----	W	----	----	No Assignment
16	Tactical	----	Saint Charles	----	W	----	----	W	----	----	No Assignment
17	Command	----	West Baton Rouge	----	W	----	----	W	----	----	No Assignment
18	Tactical	----	West Baton Rouge	----	W	----	----	W	----	----	No Assignment
19	Command	----	West Feliciana	----	W	----	----	W	----	----	No Assignment
20	Tactical	----	West Feliciana	----	W	----	----	W	----	----	No Assignment
21	Command	N5NXL	Region 2 & 9	147.255	W	107.2	147.855	W	107.2	A	GOHSEP to REG 2 & 9
22	Command	WB5BTR	Region 2	442.400	W	107.2	447.400	W	107.2	A	LWARN
23	Command	WB5BTR	Region 2	442.625	W	107.2	447.625	W	107.2	A	LWARN
24	Command	KD5KNZ	Region 2 & 9	443.100	W	107.2	448.100	W	107.2	A	ALLSTAR REG 1,2 & 6
25	Command	KD5QZD	Region 2	443.375	W	156.7	448.375	W	156.7	D	DWARN - REG 2 * & 9
26	Command	N5NXL	Region 2 & 9	444.350	W	107.2	449.350	W	107.2	A	GOHSEP to REG 2 & 9
27	Command	WB5LHS	Region 2	444.675	W	156.7	449.675	W	156.7	A	GOHSEP EOC COORD
28	Prepared By (Communications Unit)				Signature						

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET ICS 217-A Page 1 of 1							Frequency Band VHF/UHF			Description REGION 3	
Channel Config	Channel Name	Eligible Users	Rx Frequency	Wide/Narrow	RX Tone / NAC	Tx Frequency	Wide/Narrow	Tx Tone/Nac	Mode (A/D)	Remarks	
1	Command	-----	Assumption	-----	W	-----	W	-----	-----	No Assignment	
2	Tactical	-----	Assumption	-----	W	-----	W	-----	-----	No Assignment	
3	Command	-----	Lafourche	-----	W	-----	W	-----	-----	No Assignment	
4	Tactical	-----	Lafourche	-----	W	-----	W	-----	-----	No Assignment	
5	Command	-----	Saint Charles	-----	W	-----	W	-----	-----	No Assignment	
6	Tactical	-----	Saint Charles	-----	W	-----	W	-----	-----	No Assignment	
7	Command	K5ARC	Saint James	146.985	W	107.2	146.385	W	107.2	A	GOHSEP to REG 2 & 3
8	Command	WB5GCL	Saint James	443.675	W	107.2	448.675	W	107.2	A	Gulf Coast Link
9	Tactical	-----	Saint James	-----	W	-----	-----	W	-----	-----	No Assignment
10	Command	KD5CQA	Saint John	146.805	W	114.8	146.205	W	114.8	A	ST John EOC
11	Command	KD5CQA	Saint John	442.675	W	1	447.675	W	1	D	DMR
12	Command	KD5CQA	Saint John	443.825	W	114.8	448.825	W	114.8	A	
13	Command	KD5CQA	Saint John	444.675	W	114.8	449.675	W	114.8	A	Gulf Coast Link
14	Tactical	-----	Saint John	-----	W	-----	-----	W	-----	-----	No Assignment
15	Command	W5YL	Terrebonne	147.39	W	107.2	147.99	W	107.2	A	
16	Tactical	-----	Terrebonne	-----	W	-----	-----	W	-----	-----	No Assignment
17	Command	-----	Region 3	-----	-----	-----	-----	-----	-----	-----	
18	Tactical	-----	Region 3	-----	-----	-----	-----	-----	-----	-----	
Prepared By (Communications Unit)					Signature						

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET ICS 217-A Page 1 of 1							Frequency Band VHF/UHF			Description REGION 4	
Channel Config	Channel Name	Eligible Users	Rx Frequency	Wide/Narrow	RX Tone / NAC	Tx Frequency	Wide/Narrow	Tx Tone/Nac	Mode (A/D)	Remarks	
1	Command	KF5VH	Acadia Parish	145.370	W	103.5	144.770	W	103.5	A	Skywarn EL-877350
2	Tactical	W5OPL	Acadia Parish	147.150	W	103.5	147.750	W	103.5	A	
3	Command	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
4	Tactical	K5ARA	Iberia Parish	146.680	W	103.5	146.080	W	103.5	A	Iberia Parish ARES
5	Command	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
6	Tactical	KF5VH	Lafayette Parish	145.370	W	103.5	144.770	W	103.5	A	Lafayette Parish ARES
7	Command	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
8	Tactical	N5TBU	St. Landry Parish	444.875	W	103.5	449.875	W	103.5	A	
9	Command	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
10	Tactical	W5YL	Saint Mary Parish	147.390	W	103.5	147.990	W	103.5	A	
11	Tactical	W5BMC	Saint Mary Parish	146.910	W	-----	146.310	W	-----	A	EL-507010
12	Tactical	-----	Saint Mary Parish	147.120	W	103.5	147.720	W	103.5	A	
13	Command	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
14	Tactical	W5DDL	St. Martin Parish	145.410	W	103.5	144.810	W	103.5	A	
15	Command	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
16	Tactical	KC5Z	Vermilion Parish	147.060	W	103.5	147.660	W	103.5	A	
17	Command	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
18	Tactical	N5TBU	Evangeline Parish	444.875	W	103.5	449.875	W	103.5	A	
19	Command	W5DDL	Region 4	145.410	W	103.5	144.810	W	103.5	A	
20	Tactical	HF Linkup	Region 4	3.803	LSB	n/a	3.803	LSB	n/a	A	Voice -- Night
21	Tactical	HF Linkup	Region 4	3.528	USB	n/a	3.528	USB	n/a	A	Digital-- Night +1500 MT63-1KL
22	Tactical	HF Linkup	Region 4	7.182	LSB	n/a	7.182	LSB	n/a	A	Voice -- Day
23	Tactical	HF Linkup	Region 4	7.032	USB	n/a	7.032	USB	n/a	A	Digital -- Day +1500 MT63-1KL
24	Tactical	HF Linkup	Region 4	14.239	USB	n/a	14.239	USB	n/a	A	Voice
25	Tactical	HF Linkup	Region 4	14.039	USB	n/a	14.039	USB	n/a	A	Digital +1500 MT63-1KL
26	Tactical	HF Linkup	Region 4	28.328	USB	n/a	28.328	USB	n/a	A	Voice
27											
Prepared By (Communications Unit)					Signature						

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET ICS 217-A Page 1 of 1							Frequency Band VHF/UHF			Description REGION 5	
Channel Config	Channel Name	Eligible Users	Rx Frequency	Wide/Narrow	RX Tone / NAC	Tx Frequency	Wide/Narrow	Tx Tone/Nac	Mode (A/D)	Remarks	
1	Command	W5ELM	Allen	146.925	W	203.5	146.325	W	203.5	M	
2	Tactical	-----	Allen	-----	-----	-----	-----	-----	-----	-----	No Assignment
3	Command	-----	Beauregard	-----	-----	-----	-----	-----	-----	-----	No Assignment
4	Tactical	N5LX	Beauregard	146.850	W	203.5	146.250	W	203.5	M	No Assignment
5	Command	W5BII	Calcasieu	146.730	W	173.8	146.130	W	173.8	A	
6	Tactical	K5CAL	Calcasieu	145.210	W	103.5	144.610	W	103.5	A	Out of Service
7	Tactical	W5BII	Calcasieu	145.350	W	103.5	144.750	W	103.5	M	
8	Tactical	W5BII	Calcasieu	444.300	W	88.5	449.300	W	88.5	M	
9	Command	-----	Cameron	-----	-----	-----	-----	-----	-----	-----	No Assignment
10	Tactical	-----	Cameron	-----	-----	-----	-----	-----	-----	-----	No Assignment
11	Command	-----	Jefferson Davis	-----	-----	-----	-----	-----	-----	-----	No Assignment
12	Tactical	-----	Jefferson Davis	-----	-----	-----	-----	-----	-----	-----	No Assignment
13	Command	-----	Region 5	-----	-----	-----	-----	-----	-----	-----	-----
14	Tactical	-----	Region 5	-----	-----	-----	-----	-----	-----	-----	-----
Prepared By (Communications Unit)					Signature						

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET ICS 217-A Page 1 of 1							Frequency Band VHF/UHF			Description REGION 6	
Channel Config	Channel Name	Eligible Users	Rx Frequency	Wide/Narrow	RX Tone / NAC	Tx Frequency	Wide/Narrow	Tx Tone/Nac	Mode (A/D)	Remarks	
1	Command	-----	Avoyelles	-----	-----	-----	-----	-----	-----	No Assignment	
2	Tactical	-----	Avoyelles	-----	-----	-----	-----	-----	-----	-----	
3	Command	-----	Catahoula	-----	-----	-----	-----	-----	-----	No Assignment	
4	Tactical	-----	Avoyelles	-----	-----	-----	-----	-----	-----	-----	
5	Command	-----	Concordia	-----	-----	-----	-----	-----	-----	No Assignment	
6	Tactical	-----	Concordia	-----	-----	-----	-----	-----	-----	-----	
7	Command	-----	Grant	-----	-----	-----	-----	-----	-----	No Assignment	
8	Tactical	-----	Grant	-----	-----	-----	-----	-----	-----	-----	
9	Command	-----	LaSalle	-----	-----	-----	-----	-----	-----	No Assignment	
10	Tactical	-----	LaSalle	-----	-----	-----	-----	-----	-----	-----	
11	Command	N5LSY	Natchitoches	146.880	W	n/a	146.280	W	n/a	A	-----
12	Tactical	-----	Natchitoches	-----	-----	-----	-----	-----	-----	-----	-----
13	Command	KC5ZJY	Rapides	147.330	W	173.8	147.390	W	173.8	A	Rapides Parish
14	Tactical	KC5ZJY	Rapides	53.230	W	173.8	52.230	W	173.8	A	-----
15	Tactical	KC5ZJY	Rapides	147.375	W	173.8	147.975	W	173.8	A	-----
16	Command	K5MNY	Sabine	147.280	W	173.8	147.880	W	173.8	A	-----
17	Tactical	-----	Sabine	-----	-----	-----	-----	-----	-----	-----	No Assignment
18	Command	-----	Vernon	-----	-----	-----	-----	-----	-----	-----	No Assignment
19	Tactical	W5LSV	Vernon	145.310	W	203.5	144.710	W	203.5	A	Echolink W5LSV-R
20	Tactical	W5LSV	Vernon	444.700	W	118.8	449.700	W	118.8	A	Echolink W5LSV-R
21	Command	-----	Winn	-----	-----	-----	-----	-----	-----	-----	No Assignment
22	Tactical	-----	Winn	-----	-----	-----	-----	-----	-----	-----	-----
23	Command	-----	Region 6	-----	-----	-----	-----	-----	-----	-----	No Assignment
24	Tactical	KC5ZJY	Region 6	145.150	W	n/a	144.550	W	n/a	D	DSTAR Open for linking
25	Tactical	N5ZUA	Region 6	145.470	W	173.8	145.410	W	173.8	A	IRLP Saltgrass Link (Texas)
26	Tactical	KF5PIE	Region 6	147.210	W	n/a	147.810	W	n/a	D	DSTAR Linked to 48B
27	Tactical	N5ZUA	Region 6	444.975	W	173.8	449.975	W	173.8	A	LINK REG 1,2, & 6
Prepared By (Communications Unit)				Signature							

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.



COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET ICS 217-A Page 1 of 1							Frequency Band VHF/UHF			Description REGION 7	
Channel Config	Channel Name	Eligible Users	Rx Frequency	Wide/Narrow	RX Tone / NAC	Tx Frequency	Wide/Narrow	Tx Tone/Nac	Mode (A/D)	Remarks	
1	Command	-----	Bienville	-----	-----	-----	-----	-----	-----	-----	
2	Tactical	-----	Bienville	-----	-----	-----	-----	-----	-----	No Assignment	
3	Command	-----	Bossier	-----	-----	-----	-----	-----	-----	-----	
4	Tactical	-----	Bossier	-----	-----	-----	-----	-----	-----	No Assignment	
5	Command	K5SAR	Caddo	146.820	W	n/a	146.220	W	n/a	A	-----
6	Tactical	K5SAR	Caddo	145.110	W	n/a	144.510	W	n/a	A	-----
7	Tactical	KB5PKW	Caddo	145.430	W	n/a	144.830	W	n/a	A	Linked to 147.300
8	Tactical	K5SAR	Caddo	146.700	W	n/a	146.100	W	n/a	A	-----
9	Tactical	W5SHV	Caddo	147.360	W	n/a	147.960	W	n/a	D	DSTAR
10	Tactical	N5FJ	Caddo	444.900	W	n/a	449.900	W	n/a	A	-----
11	Tactical	W5SHV	Caddo	1253.000	W	n/a	1253.000	W	n/a	D	DSTAR Data
12	Tactical	W5SHV	Caddo	1293.000	W	n/a	1273.000	W	n/a	D	DSTAR Voice
13	Command	-----	Claiborne	-----	-----	-----	-----	-----	-----	-----	
14	Tactical	-----	Claiborne	-----	-----	-----	-----	-----	-----	No Assignment	
15	Command	-----	DeSoto	-----	-----	-----	-----	-----	-----	-----	
16	Tactical	-----	DeSoto	-----	-----	-----	-----	-----	-----	No Assignment	
17	Command	-----	Red River	-----	-----	-----	-----	-----	-----	-----	
18	Tactical	-----	Red River	-----	-----	-----	-----	-----	-----	No Assignment	
19	Command	-----	Webster	-----	-----	-----	-----	-----	-----	-----	
20	Tactical	KC5UCV	Webster	147.300	W	186.2	147.900	W	186.2	A	Linked to 145.430
21	Command	-----	Region 7	-----	-----	-----	-----	-----	-----	-----	
22	Tactical	-----	Region 7	-----	-----	-----	-----	-----	-----	-----	
Prepared By (Communications Unit)				Signature							

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET ICS 217-A							Frequency Band VHF/UHF			Description REGION 8	
Page 1 of 1											
Channel Config	Channel Name	Eligible Users	Rx Frequency	Wide/Narrow	RX Tone / NAC	Tx Frequency	Wide/Narrow	Tx Tone/Nac	Mode (A/D)	Remarks	
1	Command	K5NOE	Caldwell	147.015	W	----	147.615	W	----	A	----
2	Command	K5NOE	Caldwell	444.525	W	----	449.525	W	----	A	----
3	Tactical	----	----	----	----	----	----	----	----	----	----
4	Command	----	East Carroll	----	----	----	----	----	----	----	No Assignment
5	Tactical	----	East Carroll	----	----	----	----	----	----	----	No Assignment
6	Command	----	Franklin	----	----	----	----	----	----	----	No Assignment
7	Tactical	----	Franklin	----	----	----	----	----	----	----	----
8	Command	WB5NIN	Jackson	146.790	W	----	146.19	W	----	A	Jonesboro
9	Command	WB5NIN	Jackson	444.800	W	----	449.8	W	----	A	Jonesboro
10	Tactical	----	Jackson	----	----	----	----	----	----	----	----
11	Command	WC5K	Lincoln	147.120	----	94.8	147.720	W	94.8	A	Ruston
12	Tactical	----	Lincoln	----	----	----	----	----	----	----	----
13	Command	----	Madison	----	----	----	----	----	----	----	No Assignment
14	Tactical	----	Madison	----	----	----	----	----	----	----	----
15	Command	----	Morehouse	----	----	----	----	----	----	----	No Assignment
16	Tactical	----	Morehouse	----	----	----	----	----	----	----	----
17	Command	KC5DR	Ouachita	147.135	----	----	147.735	W	----	A	West Monroe
18	Tactical	KC5DR	Ouachita	443.800	----	----	444.400	W	----	D	West Monroe DMR
19	Tactical	W5KGT	Ouachita	444.100	----	----	444.700	W	----	A	Calhoun
20	Tactical	W5KGT	Ouachita	444.700	----	----	445.300	W	----	A	Calhoun
21	Command	WA5KNV	Richland	145.490	W	100	146.090	W	100	A	----
22	Command	WA5KNV	Richland	444.950	W	100	449.950	W	100	A	----
	Tactical										
23	Command	----	Tensas	----	----	----	----	----	----	----	No Assignment
24	Tactical	----	Tensas	----	----	----	----	----	----	----	----
25	Command	KC5DR	Union	145.230	W	127.3	144.630	W	127.3	A	----
26	Tactical	----	----	----	----	----	----	----	----	----	----
27	Command	----	West Carroll	----	----	----	----	----	----	----	No Assignment
28	Tactical	----	West Carroll	----	----	----	----	----	----	----	----
29	Command	----	Region 8	----	----	----	----	----	----	----	----
30	Tactical	----	Region 8	----	----	----	----	----	----	----	----
Prepared By (Communications Unit)					Signature						

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET ICS 217-A							Frequency Band VHF / UHF			Description REGION 9	
Page 1 of 1											
Channel Config	Channel Name	Eligible Users	Rx Frequency	Wide/Narrow	RX Tone / NAC	Tx Frequency	Wide/Narrow	Tx Tone/Nac	Mode (A/D)	Remarks	
1	Command	-----	St. Helena /Tangipahoa	-----	W	-----	-----	W	-----	-----	No Assignment
2	Tactical	WB5NET	St. Helena /Tangipahoa	147.000	W	107.2	146.400	W	107.2	A	Tangipahoa EOC (Tower Location - Tickfaw)
3	Tactical	WB5BTR	St. Helena	442.275	W	156.7	442.875	W	156.7	A	LWARN Region 2 & 9 (Tower Location -
4	Command	-----	St. Tammany	-----	W	-----	-----	W	-----	-----	No Assignment
5	Tactical	W5SLA	St. Tammany	147.270	W	114.8	147.870	W	114.8	A	OEP / NWS (Tower Location - Slidell)
6	Tactical	W5SLA	St. Tammany	145.290	W	114.8	144.690	W	114.8	A	EOC (DSTAR)
7	Tactical	W5NJJ	St. Tammany	146.715	W	114.8	146.115	W	114.8	A	Folsom / Covington
8	Tactical	AB6DS	St. Tammany	145.470	W	114.8	144.870	W	114.8	D	DWARN Region 2 & 9 (Tower Location - Bush)
9	Tactical	AB6DS	St. Tammany	443.400	W	114.8	448.400	W	114.8	A	DWARN Region 2 & 9 (Tower Location - Slidell)
10	Tactical	AB6DS	St. Tammany	444.875	W	114.8	449.875	W	114.8	A	Red Cross (Tower Location - Madisonville)
11	Command	-----	Tangipahoa	-----	W	-----	-----	W	-----	-----	No Assignment
12	Tactical	WB5NET	Tangipahoa	147.000	W	107.2	146.400	W	107.2	A	Tangipahoa EOC (Location - Tickfaw)
13	Tactical	WB5NET	Tangipahoa	145.130	W	107.2	144.530	W	107.2	A	(Tower Location - Hammond)
14	Tactical	WB5NET	Tangipahoa	444.250	W	107.2	449.250	W	107.2	A	(Tower Location - Hammond)
15	Tactical	WB5BTR	Tangipahoa / St. Helena	442.275	W	156.7	442.875	W	156.7	A	LWARN Region 2 & 9 (Location - Greensburg)
16	Command	WB5BTR	Washington	442.425	W	156.7	447.425	W	156.7	A	LWARN Region 2 & 9 (Tower Location - Pine)
17	Tactical	WA5ARC	Washington	145.430	W	107.2	144.830	W	107.2	A	Washington Parish EOC (Tower Location - Pine)
18	Tactical	KF5BSZ	Washington	147.440	W	n/a	144.940	W	n/a	D	EOC DSTAR (Tower Location - Pine)
19	Tactical	KF5BSZ	Washington	444.588	W	n/a	449.588	W	n/a	D	EOC DSTAR DATA (Tower Location - Pine)
20	Tactical	KF5BSZ	Washington	1253.000	W	n/a	1253.000	W	n/a	D	EOC DSTAR (Tower Location - Pine)
21	Tactical	KF5BSZ	Washington	1293.000	W	n/a	1273.000	W	n/a	D	EOC DSTAR VOICE (Tower Location - Pine)
22	Command	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
23	Tactical	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Prepared By (Communications Unit)					Signature						

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio.

COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET ICS 217-A Page 1 of 1							Frequency Band VHF / UHF			Description PACKET	
Channel Config	Channel Name	Eligible Users	Rx Frequency	Wide/Narrow	RX Tone / NAC	Tx Frequency	Wide/Narrow	Tx Tone/Nac	Mode (A/D)	Remarks	
1	Tactical	W5MCC-1	Region 1	145.010	W	n/a	145.010	W	n/a	D	MSY - New Orelans BPQ NODE
2	Tactical	W5MCC-5	Region 1	145.010	W	n/a	145.010	W	n/a	D	MCCBBS - New Orleans BBS
3	Tactical	W5MCC-10	Region 1	145.010	W	n/a	145.010	W	n/a	D	MCCRMS - New Orleans Winlink
4	Tactical	W5MCC-11	Region 1	145.010	W	n/a	145.010	W	n/a	D	MCCCHT - New Orleans Chat
5	Tactical	W5MCC-1	Region 1	446.100	W	n/a	446.100	W	n/a	D	9600 BACKBONE
6	Tactical	KD5CQB	Region 2	145.010	W	n/a	145.010	W	n/a	D	BTR2 - Baton Rouge Digi
6	Tactical	WB5LHS	Region 2	145.010	W	n/a	145.010	W	n/a	D	LIV1 - Livingston Rouge Digi
7	Tactical	WB5NET	Region 9	145.010	W	n/a	145.010	W	n/a	D	HMU - Hammond Digi
8	Tactical	W5SLA-3	Region 9	145.010	W	n/a	145.010	W	n/a	D	DIGI MAILBOX
9	Tactical	W5SLA-4	Region 9	145.010	W	n/a	145.010	W	n/a	D	DIGI (SIL)
10	Tactical	W5NWS	Region 9	145.010	W	n/a	145.010	W	n/a	D	NWS MAILBOX
Prepared By (Communications Unit)					Signature						

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET ICS 217-A Page 1 of 1							Frequency Band VHF			Description APRS	
Channel Config	Channel Name	Eligible Users	Rx Frequency	Wide/Narrow	RX Tone / NAC	Tx Frequency	Wide/Narrow	Tx Tone/Nac	Mode (A/D)	Remarks	
1	Tactical	KD5QZD-1	Region 1	144.390	W	n/a	144.390	W	n/a	D	New Orleans APRS Digi
2	Tactical	W4NDF	Region 1	144.390	W	n/a	144.390	W	n/a	D	Jefferson Parish IGATE
3	Tactical	KD5CQB-2	Region 2	144.390	W	n/a	144.390	W	n/a	D	Baton Rouge Digi
4	Tactical	KD5QZD-12	Region 2	144.390	W	n/a	144.390	W	n/a	D	Livingston Parish Digi
5	Tactical	WZ5A-10	Region 2	144.390	W	n/a	144.390	W	n/a	D	Livingston Parish IGATE
6	Tactical	KD5CQA-1	Region 3	144.390	W	n/a	144.390	W	n/a	D	ST John Parish Digi
7	Tactical	KG5FQT	Region 3	144.390	W	n/a	144.390	W	n/a	D	ST Charles Parish IGATE
8	Tactical	KK5MC-3	Region 3	144.390	W	n/a	144.390	W	n/a	D	Gray DIGI / IGATE
9	Tactical	KK5MC-4	Region 3	144.390	W	n/a	144.390	W	n/a	D	Thibodaux DIGI / IGATE
10	Tactical	KD5QZD-6	Region 4	144.390	W	n/a	144.390	W	n/a	D	Lafayette Parish Digi
11	Tactical	N9QO-1	Region 4	144.390	W	n/a	144.390	W	n/a	D	Crowley IGATE
12	Tactical	NL5J	Region 5	144.390	W	n/a	144.390	W	n/a	D	DeRidder Digi
13	Tactical	W5BII	Region 5	144.390	W	n/a	144.390	W	n/a	D	Calcasieu Parish Digi
14	Tactical	KD5QZD	Region 6	144.390	W	n/a	144.390	W	n/a	D	Alexandria Digi (AEX)
15	Tactical	WINN	Region 6	144.390	W	n/a	144.390	W	n/a	D	Winfield Digi
16	Tactical	K5ROK	Region 7	144.390	W	n/a	144.390	W	n/a	D	Minden DIGI / IGATE
17	Tactical	K5ROK-1	Region 7	144.390	W	n/a	144.390	W	n/a	D	Bryceland DIGI
18	Tactical	KD5QZD-7	Region 7	144.390	W	n/a	144.390	W	n/a	D	Shreveport DIGI / IGATE
19	Tactical	KQ5T	Region 8	144.390	W	n/a	144.390	W	n/a	D	Ruston DIGI
20	Tactical	KC5DR-5	Region 8	144.390	W	n/a	144.390	W	n/a	D	Monroe DIGI / IGATE
21	Tactical	W5KGT	Region 8	144.390	W	n/a	144.390	W	n/a	D	Monroe DIGI
22	Tactical	WB5NIN-3	Region 8	144.390	W	n/a	144.390	W	n/a	D	Jonesboro Parish Digi
23	Tactical	HMD	Region 9	144.390	W	n/a	144.390	W	n/a	D	Hammond Digi
24	Tactical	ARC-9	Region 9	144.390	W	n/a	144.390	W	n/a	D	Covington Digi
25											
Prepared By (Communications Unit)					Signature						

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.